



شركة السكب الكويتية ش.م.ك. مقفلة

KUWAIT FOUNDRY CO. S.A.K.



2016 - 2017

KUWAIT FOUNDRY CO. S.A.K.



شركة السكب الكويتية ش.م.ك
مقولة

KUWAIT FOUNDRY CO. S.A.K.

(ISO 9001 : 2008 CERTIFIED)

2016 - 2017

تلفون : ٢٤٧٦٦٦٩١ / ٢ / ٣ / ٤ - فاكس : ٢٤٧٥٢٧٨٠ - ٢٤٧٦٣٠٣٣

تلفون المبيعات: ٢٤٧٥٢٧٨١ - ص.ب : ١٣٩٣ الصفاة ١٣٠١٤ الصفاة - الكويت

Tel. : 24766691 / 2 / 3 / 4 - Fax : 24752780 - 24763033

Sales Phone : 24752781 - P.O. Box : 1393 Safat 13014 Safat - Kuwait

E-Mail : kuwait_foundry@hotmail.com



شركة السكب الكويتية ش.م.ك مفولة

تمهيد

تمتلك شركة السكب الكويتية مصانع تستخدم فيها التقنية والمعدات الحديثة لإنتاج المسبوكات بطاقة انتاجية قدرها ٢٥٠٠٠ طن من المسبوكات سنويا .

وتقع المصانع في منطقة الري الصناعية في دولة الكويت وتغطي مساحة ٤٥٠٠٠ متر مربع .

ويتم انتاج المسبوكات عبر عمليات متنوعة من أجل الوفاء باحتياجات الانتاج .

ويتم عمل المسبوكات العامة بواسطة الطريقة الرملية، بينما يتم انتاج الانابيب بواسطة السبك بالطرد المركزي .

وتتضمن المسبوكات العامة منتجات الهندسة المدنية، قطع الانابيب، ومسبوكات متنوعة، كما أنه يتم صنع الانابيب الملائمة للتوصيل (ذات جلبات وصل) وكذلك الانابيب التي لا تحتوي على جلبة توصيل .

ويتم انتاج حديد الزهر الرمادي وحديد الزهر العقيدي وفقاً للمقاييس العالمية بالإضافة الى المتطلبات الخاصة . كما تتوفر تسهيلات لصنع الحديد السبيكي، وكذلك المسبوكات غير الحديدية .

ويتم التحكم النوعي عن طريق المختبر وموظفي المصنع وذلك باستخدام احدث المعدات المساندة للفحوص البصرية . ويوجد في المختبر مقياس يقوم بتحليل كامل للمعادن في أقل من دقيقة، مما يسمح باجراء الضبط قبل صب المعدن . كما تتوفر التسهيلات الكاملة (للميتالوغرافيا) لدراسة التركيب المعدني وتستخدم جميع معدات الاختبار على أساس يومي، بالإضافة الى استخدامها لاجراء الاختبارات الخاصة والعمليات التي تعهد الى المصنع من الجهات الاخرى .



KUWAIT FOUNDRY CO. S.A.K.

Foreword

Kuwait Foundry is a modern plant, using the latest equipment and technology for the production of castings. The plant is situated in the Al-Rai Industrial Area of Kuwait, and covers an area of 45,000 square meters. The installed capacity is for a production of 25,000 tons per year of castings.

Castings are produced in a variety of processes to suit the production requirements, general castings are made by sand process, and pipes are produced by centrifugal casting. General castings include civil engineering products, pipe fittings, and miscellaneous castings, and pipes are made for the hubless (no-socket) systems.

Grey iron, and ductile iron are produced to all international standards, as well as special requirements. Facilities for alloy irons, and nonferrous castings are available.

Quality control is carried out by laboratory and plant personnel, using the latest equipment to back up general visual checks. A spectrometer in the laboratory gives full metal analysis in minutes, to allow adjustments before the metal is poured on the production lines. Metallographic facilities are available with photographic attachment.



CAST IRON & DUCTILE IRON MANHOLE COVERS, FRAMES & GRATINGS **TECHNICAL DATA**

MATERIAL

GREY CAST IRON AS PER BS EN 1561: 1997 OR ISO 185 OR ASTM A 48.
DUCTILE IRON AS PER BS EN 1563 : 1997 OR ISO 1083 OR ASTM A 536.

TEST LOAD KUWAIT STANDARD SPECIFICATIONS

(Ref. KSS 21-1971, KSS 22- 1971 & KSS 23 -1973)

CLASS	TEST LOAD TON	SIZE OF BLOCK mm	REMARKS
40	40	300	HEAVY DUTY
20	20	300	MEDIUM DUTY
15	15	300	MEDIUM DUTY
5	5	100	MEDIUM DUTY

TEST LOAD BS EN 124-1994

CLASS	TEST LOAD kN	SIZE OF BLOCK mm (For C. O. 300 to 1000mm)	PLACE OF INSTALLATION
D400	400	250	FOR USE IN CARRIAGE WAYS CARRYING FAST MOVING HEAVY VEHICLES
C250	250	250	FOR USE IN AREA OF KERB SIDE CHANNELS OF ROADS
B125	125	250	FOR USE IN PEDESTRIANS, CAR PARKS AND COMPARABLE AREAS
A15	15	250	FOR USE IN AREA INACCESSIBLE TO MOTOR VEHICLES

PROTECTIVE COATING:

All castings are coated with black Bituminous paint unless otherwise specified.

BADGING

Special Badging on request.

KUWAIT FOUNDRY CO. S.A.K.



INDEX

MANHOLE TOPS, GULLY TOPS AND FRAMES

Ref.No. PR	DESCRIPTION	SIZE MM	PAGE No.
	CLASS - HEAVY DUTY (Kuwait Standard Specification)		
379	CI HD STORM WATER COVER & FRAME	Ø610	1
380	CI HD SANITARY COVER & FRAME (VENTILATED)	Ø610	2
	CLASS D400 (EN 124)		
727	DI STORM WATER COVER & FRAME	Ø610	3
728	DI SANITARY DRAINAGE COVER & FRAME (VENTILATED)	Ø610	4
527	DI SANITARY DRAINAGE COVER & FRAME	Ø600	5
651	DI COVER & FRAME (LOCKABLE TYPE)	Ø600	6
731	DI COVER & FRAME (HINGED TYPE)	Ø600	7
757	DI COVER & FRAME (HINGED & LOCKABLE TYPE)	Ø600	8
780	DI COVER & FRAME (DOUBLE SEMICIRCULAR COVER)	Ø600	9
781	DI COVER & FRAME (DOUBLE TRIANGULAR COVER)	600X600	10
796	DI COVER & FRAME	Ø675	11
553	CI COVER & FRAME (WITH RUBBER SEAL)	Ø600	12
554	CI COVER & FRAME (WITH RUBBER SEAL)	Ø700	12
	CLASS C250 (EN 124)		
53	DI COVER & FRAME	Ø610	13
647	DI COVER & FRAME (LOCKABLE TYPE)	Ø600	14
732C	DI COVER & FRAME (HINGED TYPE)	Ø600	15
333	CI RECESSED COVER & FRAME	Ø610	16
569-1	CI COVER & FRAME (WITH RUBBER SEAL)	1000X1000	17
569-2	CI COVER & FRAME (WITH RUBBER SEAL)	750X750	17
203	CI COVER & FRAME	600X600	18
532-1	DI COVER & FRAME	600X600	19
532-2	DI COVER & FRAME	600X450	19
877	DI DOUBLE SEAL COVER & FRAME	600X450	20
715	DI COVER & FRAME	1200X600	21
869C	DI COVER & FRAME	900X900	22
866C	DI COVER & FRAME	900X600	22
862C	DI COVER & FRAME	750X600	22
887	DI COVER & FRAME	760X760	23
867	DI COVER & FRAME	270X270	24
607	CI COVER & FRAME (LOCKABLE TYPE)	600X300	25
	CLASS - MEDIUM DUTY (Kuwait Standard Specification)		
390	CI MD CIRCULAR MANHOLE COVER & FRAME FOR P.T.T.	Ø690	26
389	CI MD RECTANGULAR HANDHOLE COVER & FRAME FOR P.T.T.	1100X450	27
884	DI MD CIRCULAR MANHOLE COVER & FRAME FOR TELEPHONE NETWORK	Ø690	28
845	DI MD HANDHOLE COVER & FRAME FOR TELEPHONE NETWORK (Hinged Type)	1100X450	29
381	CI MD STORM WATER COVER & FRAME	Ø610	30
382	CI MD SANITARY COVER & FRAME 610MM (VENTILATED)	Ø610	31

KUWAIT FOUNDRY CO. S.A.K.



Ref.No. PR	DESCRIPTION	SIZE MM	PAGE No.
	CLASS B125 (EN 124)		
729	DI STORM WATER COVER & FRAME	Ø610	32
730	DI SANITARY DRAINAGE COVER & FRAME (VENTILATED)	Ø610	33
54	DI COVER & FRAME	Ø610	34
843	DI COVER & FRAME (HINGED TYPE)	Ø600	35
839	DI COVER & FRAME (HINGED & LOCKABLE TYPE)	Ø600	36
98	CI COVER & FRAME	Ø600	37
570-1	CI COVER & FRAME (WITH RUBBER SEAL)	1000X1000	38
570-2	CI COVER & FRAME (WITH RUBBER SEAL)	750X750	38
257	CI COVER & FRAME	900X900	39
869B	DI COVER & FRAME	900X900	40
866B	DI COVER & FRAME	900X600	40
862B	DI COVER & FRAME	750X600	40
735-1	DI DOUBLE SEAL COVER & FRAME	600X600	41
735-2	DI DOUBLE SEAL COVER & FRAME	800X800	41
683	DI DOUBLE SEAL RECESSED COVER & FRAME	1000X700	42
889	DI DOUBLE SEAL RECESSED COVER & FRAME	600X600	43
892	DI DOUBLE SEAL RECESSED COVER & FRAME	610X470	44
847-1	DI COVER & FRAME (HINGED & LOCKABLE TYPE)	610X470	45
847-2	DI COVER & FRAME (HINGED & LOCKABLE TYPE)	600X600	45
	CLASS - MEDIUM DUTY (Test Load 5 Ton)		
421	CI MD FLUSH MANHOLE COVER & FRAME	920X920	46
367	CI MD RECESSED COVER & FRAME	920X920	47
473	CI DOUBLE SEAL RECESSED COVER & FRAME	610X610	48
388	CI DOUBLE SEAL COVER & FRAME	600X600	19
384	CI SINGLE SEAL COVER & FRAME	600X600	50
386	CI SINGLE SEAL COVER & FRAME	600X450	50
180	CI SINGLE SEAL COVER & FRAME	500X500	50
158	CI DOUBLE SEAL COVER & FRAME	300X300	51
521	CI MD CLEAN OUT COVER & FRAME	300X300	52
364	CI SINGLE SEAL RECESSED COVER & FRAME	300X300	53
	CLASS - A15 LIGHT DUTY (EN124)		
684	CI SINGLE SEAL COVER & FRAME	920X920	54
425	CI HINGED COVER & FRAME (CURZON)	670X610	55
391-1	CI SINGLE SEAL COVER & FRAME	610X610	56
391-2	CI SINGLE SEAL COVER & FRAME	600X450	56
391-3	CI SINGLE SEAL COVER & FRAME	500X500	56
391-4	CI SINGLE SEAL COVER & FRAME	400X400	56
848	DI COVER & FRAME (HINGED TYPE)	610X470	57
650	CI SINGLE SEAL COVER & FRAME	610X470	58
689	CI SINGLE SEAL COVER & FRAME	300X300	59
238-1	CI SINGLE SEAL RECESSED COVER & FRAME	610X610	60
238-2	CI SINGLE SEAL RECESSED COVER & FRAME	500X500	60

KUWAIT FOUNDRY CO. S.A.K.




Ref.No. PR	DESCRIPTION	SIZE MM	PAGE No.
392	CI DOUBLE SEAL COVER & FRAME	600X600	61
393	CI DOUBLE SEAL RECESSED COVER & FRAME	610X610	62
424	CI HAND HOLE COVER & FRAME	270X270	63
	CLASS - THIN TYPE		
237-1	CI COVER & FRAME	600X600	64
237-2	CI COVER & FRAME	450X450	64
237-3	CI COVER & FRAME	400X400	64
432	CI COVER & FRAME	300X300	65
74	CI DOUBLE SEAL COVER & FRAME	300X300	66
	CLASS D400 (EN 124) - GRATINGS		
682	DI GULLY GRATING & FRAME	1000X700	67
582	DI DOUBLE TRIANGULAR INLET GRATING & FRAME	600X600	68
708	DI DOUBLE TRIANGULAR INLET GRATING & FRAME	450X450	68
859	DI CATCH BASIN COVER & FRAME	Ø600	69
	CLASS C250 (EN 124) - GRATINGS		
63	CI GULLY GRATING & FRAME	450X550	70
433	CI STRAIGHT BAR GULLY GRATING & FRAME	395X290	71
190	CI GULLY GRATING & FRAME	840X365	72
722	DI KERB INLET GRATING & FRAME (HINGED TYPE)	940X520	73
733	DI GULLY GRATING & FRAME	450X550	74
434	CI STRAIGHT BAR GULLY GRATING & FRAME	445X380	75
679	CI GULLY GRATING & FRAME	160X160	76
	CLASS - MEDIUM DUTY GRATING (MPW) (Test Load 18 Ton)		
394	CI GULLY GRATING & FRAME	550X450	77
	CLASS - B125 (EN124) - GRATINGS		
118	CI CATCH BASIN COVER & FRAME	Ø600	78
	MISCELLANEOUS - GRATINGS		
838-1	DI GRATING CLASS C250	610X250X36	79
838-2	DI GRATING CLASS C250	610X200X36	79
838-3	DI GRATING CLASS C250	500X150X26	79
662-1	DI GRATING CLASS F900	600X360X60	80
662-2	DI GRATING CLASS D400	500X300X52	80
662-3	DI GRATING CLASS C250	600X460X45	80
662-4	DI GRATING CLASS C250	610X300X40	80
537-1	CI GULLY GRATING CLASS C250	840X365X64	81
537-2	CI GULLY GRATING CLASS C250	610X340X45	81
537-3	CI GULLY GRATING CLASS C250	500X300X55	81
395-1	CI GULLY GRATING CLASS B125	700X360X25	82
395-2	CI GULLY GRATING CLASS C250	610X270X45	82
395-3	CI GULLY GRATING CLASS C250	600X200X25	82

KUWAIT FOUNDRY CO. S.A.K.




Ref.No. PR	DESCRIPTION	SIZE MM	PAGE No.
699-1	CI GULLY GRATING CLASS B125	600X300X30	83
699-2	CI GULLY GRATING CLASS B125	600X150X25	83
811	CI GULLY GRATING CLASS B125	600X225X25	84
813	CI GULLY GRATING	750X750X25	85
814	CI GULLY GRATING	600X300X20	86
SURFACE BOXES & FIRE HYDRANT			
417-1	CI HD. SURFACE BOX COVER & FRAME	150X150	87
417-2	CI HD. SURFACE BOX COVER & FRAME	225X225	87
417-3	CI HD. SURFACE BOX COVER & FRAME	300X300	87
418	CI HD. FIRE HYDRANT COVER & FRAME	380X230	88
711	DI HD. FIRE HYDRANT COVER & FRAME	400X250	89
210	CI VALVE BOX COVER & FRAME	Ø300X200	90
426	CI VALVE BOX COVER & FRAME	Ø300X130	91
209	CI VALVE BOX COVER & FRAME	Ø120X300	92
TREE GRATES			
600-1	CI TREE GRATE	Ø1500	93
600-2	CI TREE GRATE	Ø1200	93
558-1	CI TREE GRATE (WITH MILD STEEL FRAME)	1600X1600	94
558-2	CI TREE GRATE (WITH MILD STEEL FRAME)	2000X2000	94
463	CI TREE GRATE & FRAME	1410X1410	95
498	CI TREE GRATE & FRAME	1520X1520	96
779	CI TREE GRATE	1530X1530	97
764	CI TREE GRATE	1200X1200	98
891	CI TREE GRATE	1400X1400	99
856	CI TREE GRATE	1200X1200	99
846	CI TREE GRATE	1200X1200	99
MISCELLANEOUS - CASTINGS			
871	CAST IRON BOLLARD	725	100
765	CAST IRON BOLLARD	800	101
775	CAST IRON BOLLARD	800	102
882	CAST IRON BOLLARD	800	103
CAST IRON STEPS			
413 DI	GALVANIZED CAST IRON STEP	250X150	104
414	CAST IRON HEAVY DUTY STEP	260X150	105
860	DUCTILE IRON STEP WITH FIXING PLATE	180X150	106

KUWAIT FOUNDRY CO. S.R.K.



SECTION - AA



MATERIAL	GREY CAST IRON
TEST LOAD	40 TONS
WEIGHT	154 KG

DRG. No. KF 6021/PR 379

HEAVY DUTY STORM WATER COVER & FRAME
(Clear opening 610 mm. According to KSS 23-1973)



A

KEY HOLE

746 mm



746 mm

MATERIAL	GREY CAST IRON
TEST LOAD	40 TONS
WEIGHT	151 KG

DRG. No. KF 6022 / PR 380

HEAVY DUTY SANITARY COVER & FRAME
(Clear opening ϕ 610 mm. According to KSS 23-1973)

KUWAIT FOUNDRY CO. S.A.K.




MATERIAL	DUCTILE IRON
TEST LOAD	400 kN
SPEC	EN 124

KF6369 / PR727


FRAME SUITABLE FOR GRP MUD BUCKET
BADGING: AS PER CUSTOMER REQUIREMENT

DUCTILE IRON STORM WATER COVER AND FRAME
CLEAR OPENING Ø 610 mm. CLASS - D 400

KUWAIT FOUNDRY CO. S.A.K.



SECTION - AA




MATERIAL	DUCTILE IRON
TEST LOAD	400 kN
SPEC	EN 124

FRAME SUITABLE FOR GRP MUD BUCKET
BADGING: AS PER CUSTOMER REQUIREMENT


KF6370 / PR728

DUCTILE IRON SANITARY DRAINAGE COVER AND FRAME
CLEAR OPENING Ø610mm. CLASS - D 400 (VENTILATED)

KUWAIT FOUNDRY CO. S.R.K.



SECTION-AA




PLAN

MATERIAL	DUCTILE IRON
TEST LOAD	400 kN
SPEC	EN 124


KF 6169 / PR 527

HEAVY DUTY SANITARY COVER & FRAME
Clear opening ϕ 600 Class D 400

KUWAIT FOUNDRY CO. S.A.K.



SECTION- AA



MATERIAL	DUCTILE IRON
TEST LOAD	400 kN
SPEC	EN 124


DRG. No. KF 6293 / PR 651

DUCTILE IRON COVER & FRAME


(Clear opening $\phi 600$ mm.)

Lockable class D 400

KUWAIT FOUNDRY CO. S.A.K.



SECTION - AA




MATERIAL	DUCTILE IRON
TEST LOAD	400 kN
SPEC	EN 124

FRAME SUITABLE FOR GRP SEAL PLATE
OR MUD BUCKET
BADGING: AS PER CUSTOMER REQUIREMENT


DRG. NO. KF6373 / PR 731

HEAVY DUTY HINGED TYPE COVER AND FRAME
(CLEAR OPENING Ø600 MM. CLASS - D 400)

KUWAIT FOUNDRY CO. S.R.K.



SECTION - AA



PLAN VIEW


MATERIAL	DUCTILE IRON
TEST LOAD	400 kN
SPEC	EN 124

FRAME SUITABLE FOR GRP SEALING PLATE
OR MUD BUCKET
BADGING: AS PER CUSTOMER REQUIREMENT


KF6399 / PR757

**DUCTILE IRON HEAVY DUTY COVER AND FRAME
(HINGED AND LOCKABLE TYPE)
CLEAR OPENING Ø600 mm. CLASS - D 400**


KUWAIT FOUNDRY CO. S.A.K.



SECTION - AA



SECTION - BB



PLAN VIEW


MATERIAL	DUCTILE IRON
TEST LOAD	400 KN
SPEC	EN 124

FRAME SUITABLE FOR GRP SEALING PLATE
BADGING: AS PER CUSTOMER REQUIREMENT


DRG.NO.KF6422 / PR780

DUCTILE IRON COVER & FRAME (DOUBLE COVER)
CLEAR OPENING Ø600mm.CLASS -D 400


KUWAIT FOUNDRY CO. S.A.K.



SECTION - AA



SECTION - BB



PLAN VIEW



MATERIAL	DUCTILE IRON
TEST LOAD	400 KN
SPEC	EN 124

FRAME SUITABLE FOR GRP SEALING PLATE
BADGING AS PER CUSTOMER REQUIREMENT

DRG.NO.KF6423 / PR781

DUCTILE IRON COVER & FRAME (DOUBLE COVER)
CLEAR OPENING 600 X 600 mm.CLASS D 400

KUWAIT FOUNDRY CO. S.A.K.





MATERIAL	DUCTILE IRON
TEST LOAD	400 kN
SPEC	EN 124

NOTE:- FRAME SUITABLE FOR GRP SEALING PLATE
BADGING AS PER CUSTOMER REQUIREMENT

DRG.NO.KF6438 / PR796

DUCTILE IRON COVER AND FRAME
CLEAR OPENING Ø 675 MM. CLASS D 400

KUWAIT FOUNDRY CO. S.R.K.

SECTION A-APLAN


TYPE	A	B	C
1	680	600	820
2	780	700	940

MATERIAL	GREY CAST IRON
TEST LOAD	400 kN
SPEC	EN 124


DRG. No. KF 6195 / PR 553 &
KF 6196 / PR 554

HEAVY DUTY MANHOLE
COVER & FRAME WITH RUBBER SEAL
(Clear opening ϕ 600 or 700mm) Class D 400

KUWAIT FOUNDRY CO. S.R.K.



SECTION-AA





PLAN

MATERIAL	DUCTILE IRON
TEST LOAD	250 kN
SPEC	EN 124

DRG. No. KF 1324 / PR 53

HEAVY DUTY DUCTILE IRON COVER & FRAME
 (Clear opening ϕ 610mm.) Class C 250

KUWAIT FOUNDRY CO. S.A.K.




MATERIAL	DUCTILE IRON
TEST LOAD	250 kN
SPEC	EN 124

DRG. No. KF 6289 / PR 647


DUCTILE IRON COVER & FRAME(Clear opening ϕ 600 mm.)

Lockable class c 250

KUWAIT FOUNDRY CO. S.R.K.



SECTION - AA





MATERIAL	DUCTILE IRON
TEST LOAD	250 kN
SPEC	EN 124

CAN BE SUPPLIED WITH VENTS ALSO
BADGING: AS PER CUSTOMER REQUIREMENT
GRP SEAL PLATE OPTIONAL

KF6374/PR732 C

DUCTILE IRON HINGED TYPE COVER AND FRAME
CLEAR OPENING Ø 600 MM. CLASS - C 250

KUWAIT FOUNDRY CO. S.A.K.**SECTION - AA****PLAN**


MATERIAL	GREY CAST IRON
TEST LOAD	250 kN
SPEC	EN 124

DRG. No. KF 2331 / PR 333**HEAVY DUTY RECESSED COVER & FRAME**(Clear opening ϕ 610 mm) Class - C 250

Frame is as per kss 23 - 1973


KUWAIT FOUNDRY CO. S.R.K.

RUBBER SEAL



SECTION - AA

STAINLESS STEEL BOLT
(4 nos.)





MATERIAL	GREY CAST IRON
TEST LOAD	250 kN
SPEC	EN 124

TYPE	A	B	C
1	1000x1000	1220x1220	110
2	750x750	970x970	110

DRG.NO. KF 6211 / PR 569

HEAVY DUTY MANHOLE COVER & FRAME
CLEAR OPENING 1000X1000 MM AND 750X750MM.. CLASS - C 250


KUWAIT FOUNDRY CO. S.A.K.

MATERIAL	GREY CAST IRON
TEST LOAD	250 kN
SPEC	EN 124


DRG. No. 2159 / PR 203

HEAVY DUTY MANHOLE COVER & FRAME
 (Clear opening 600 X 600 mm.) Class - C 250

KUWAIT FOUNDRY CO. S.R.K.



SECTION - AA



MATERIAL	DUCTILE IRON
TEST LOAD	250 kN
SPEC	EN 124

TYPE	A	B	C
1	600X600	820X820	100
2	600X450	820X670	100

NOTE:-

FRAME SUITABLE FOR GRP SEALING PLATE


KF6174/PR 532

DUCTILE IRON MANHOLE COVER & FRAME
CLEAR OPENING 600X600 MM. CLASS - C250

KUWAIT FOUNDRY CO. S.A.K.



LIFTING KEY HOLES
CLOSED TYPE - 2 nos.




MATERIAL	DUCTILE IRON
TEST LOAD	250 kN
SPEC	EN 124

DRG.NO: KF 6519 / PR 877

BADGING: AS PER CUSTOMER REQUIREMENT

DUCTILE IRON DOUBLE SEAL COVER AND FRAME
CLEAR OPENING 600 X 450 mm. CLASS - C 250

KUWAIT FOUNDRY CO. S.A.K.



MATERIAL	DUCTILE IRON
TEST LOAD	250 kN
SPEC	EN 124

NOTE:-


BADGING AS PER CUSTOMER REQUIREMENT

GRP SEAL PLATE OPTIONAL


DRG.NO. KF 6357 / PR 715

DUCTILE IRON COVER AND FRAME
CLEAR OPENING 1200X600 MM.CLASS - C 250

KUWAIT FOUNDRY CO. S.R.K.



SECTION - AA




MATERIAL	DUCTILE IRON
TEST LOAD	250 kN
SPEC	EN 124

TYPE	DRG.NO.	A	B	C
1	KF6511/PR869 C	900X900	1070X1070	100
2	KF6508/PR866 C	900X600	1070X770	100
3	KF6336/PR862 C	750X600	920X770	100


BADGING: AS PER CUSTOMER REQUIREMENT

DUCTILE IRON COVER AND FRAME CLEAR OPENING
900 X 900 , 900 X 600 & 750 X 600 CLASS - C 250

KUWAIT FOUNDRY CO. S.A.K.



SECTION - AA



MATERIAL	DUCTILE IRON
TEST LOAD	250 kN
SPEC	EN 124

BADGING: AS PER CUSTOMER REQUIREMENT


DRG.NO.KF 6529 / PR887

DUCTILE IRON COVER AND FRAME (BOLTED TYPE)
 CLEAR OPENING 760 X 760 MM. CLASS - C 250

KUWAIT FOUNDRY CO. S.A.K.



SECTION - AA



MATERIAL	DUCTILE IRON
TEST LOAD	250 kN
SPEC	EN 124



REMARK : CAN BE SUPPLIED WITH CLOSED TYPE KEYHOLE.

BADGING: AS PER CUSTOMER REQUIREMENT

DRG.NO. KF 6509 / PR 867

HEAVY DUTY HANDHOLE COVER & FRAME

CLEAR OPENING 270X270MM. CLASS - C 250

KUWAIT FOUNDRY CO. S.A.K.SECTION - AA



MATERIAL	GREY CAST IRON
TEST LOAD	250 kN
SPEC	EN 124

BADGING: AS PER CUSTOMER REQUIREMENT

DRG.NO. KF 6249 / PR 607

HEAVY DUTY COVER & FRAME (LOCKABLE TYPE)
CLEAR OPENING 600X300 MM.CLASS - C 250

KUWAIT FOUNDRY CO. S.A.K.

SECTION-AA

MATERIAL	GREY CAST IRON
TEST LOAD	20 TON
WEIGHT	195 KG


DRG. No. KF 6032 / PR 390

**MEDIUM DUTY CIRCULAR MANHOLE
COVER & FRAME FOR P.T.T.**


(Clear opening Ø 690 mm.)

According to Kuwait Standard Specification 22-1971

KUWAIT FOUNDRY CO. S.R.K.



SECTION-AA



SECTION-BB

PLAN



MATERIAL	GREY CAST IRON
TEST LOAD	15 TON
WEIGHT	193 KG

DRG. No. KF 6031 / PR 389

**MEDIUM DUTY RECTANGULAR HAND HOLE
COVER & FRAME FOR P.T.T.**
(Clear opening 1100 x 450 mm.)

According to Kuwait Standard Specification 22-1971

KUWAIT FOUNDRY CO. S.A.K.


SECTION - AAPLAN

MATERIAL	DUCTILE IRON
TEST LOAD	20 TON
SPEC	KSS 22-1971

DRG.NO. KF 6526 / PR 884

DUCTILE IRON MEDIUM DUTY CIRCULAR COVER & FRAME
 CLEAR OPENING Ø 690 MM. FOR TELEPHONE NETWORK



KUWAIT FOUNDRY CO. S.A.K.



MATERIAL	DUCTILE IRON
TEST LOAD	15 TON
SPEC	KSS 22-1971

DRG.NO. KF 6487 / PR 845



DUCTILE IRON MEDIUM DUTY HAND HOLE COVER & FRAME
CLEAR OPENING 1100X450 MM. (HINGED TYPE)
FOR TELEPHONE NET WORK

KUWAIT FOUNDRY CO. S.A.K.**SECTION - AA****PLAN**

MATERIAL	GREY CAST IRON
TEST LOAD	15 TON
WEIGHT	134 KG.

DRG. No. KF 6023 / PR 381

MEDIUM DUTY STORM WATER COVER & FRAME
 (Clear opening 610 mm. According to K.S.S. 23-1973)



KUWAIT FOUNDRY CO. S.A.K.

MATERIAL	GREY CAST IRON
TEST LOAD	15 TON
WEIGHT	132 KG.

DRG. No. 6024 / PR 382**MEDIUM DUTY SANITARY COVER & FRAME**

Clear opening 610 mm. with ventilation opening
According to Kuwait Standar Specification 23 - 1973

KUWAIT FOUNDRY CO. S.A.K.





MATERIAL	DUCTILE IRON
TEST LOAD	125 kN
SPEC	EN 124

FRAME SUITABLE FOR GRP MUD BUCKET
BADGING: AS PER CUSTOMER REQUIREMENT

KF6371 / PR729

DUCTILE IRON STORM WATER COVER AND FRAME
CLEAR OPENING Ø 610 mm. CLASS - B 125



KUWAIT FOUNDRY CO. S.R.K.

MATERIAL	DUCTILE IRON
TEST LOAD	125 kN
SPEC	EN 124

FRAME SUITABLE FOR GRP MUD BUCKET
BADGING: AS PER CUSTOMER REQUIREMENT

KF6372 / PR730

DUCTILE IRON SANITARY DRAINAGE COVER AND FRAME
CLEAR OPENING Ø610 mm. CLASS - B 125 (VANTILATED)

KUWAIT FOUNDRY CO. S.A.K.**SECTION-AA****PLAN**


MATERIAL	DUCTILE IRON
TEST LOAD	125 kN
SPEC	EN 124

NOTE:-
CAN BE SUPPLIED WITH VENT HOLES


DRG. No. KF 1325 / PR 54

MEDIUM DUTY DUCTILE IRON COVER & FRAME
Clear opening Ø 610 Class B 125

KUWAIT FOUNDRY CO. S.A.K.



SECTION - AA





MATERIAL	DUCTILE IRON
TEST LOAD	125 kN
SPEC	EN 124

FRAME SUITABLE FOR GRP SEALING PLATE
OR MUD BUCKET
CAN BE SUPPLIED WITH VENTS ALSO

KF6485/PR843

DUCTILE IRON HINGED TYPE COVER & FRAME
CLEAR OPENING Ø 600 mm. CLASS - B125



KUWAIT FOUNDRY CO. S.R.K.**SECTION - AA**

MATERIAL	DUCTILE IRON
TEST LOAD	125 kN
SPEC	EN 124

DRG.NO. KF6481 / PR 839**DUCTILE IRON COVER & FRAME (HINGED & LOCKABLE)**

CLEAR OPENING Ø 600 mm. CLASS B125

KUWAIT FOUNDRY CO. S.A.K.

SECTION - AA


MATERIAL	GREY CAST IRON
TEST LOAD	125 kN
SPEC	EN 124

DRG No .KF 2018 / PR 98


MEDIUM DUTY MANHOLE COVER & FRAME
C.O. Ø 600 Class B 125

KUWAIT FOUNDRY CO. S.A.K.

RUBBER SEAL



M12 STAINLESS STEEL BOLT
(4 nos.)





MATERIAL	GREY CAST IRON
TEST LOAD	125 kN
SPEC	EN 124

TYPE	A	B	C
1	1000X1000	1180x1180	110
2	750X750	970X970	110

DRG.NO. KF 6212 / PR 570

MEDIUM DUTY MANHOLE COVER & FRAME (BOLTED TYPE)
CLEAR OPENING 1000X1000 & 750x750 MM. CLASS - B 125


KUWAIT FOUNDRY CO. S.R.K.**SECTION - AA**

MATERIAL	GREY CAST IRON
TEST LOAD	125 kN
SPEC	EN 124


DRG NO. KF 2217 / PR 257

MEDIUM DUTY MANHOLE COVER & FRAME
 CLEAR OPENING 900X900 MM. CLASS - B 125

KUWAIT FOUNDRY CO. S.A.K.



SECTION - AA



MATERIAL	DUCTILE IRON
TEST LOAD	125 kN
SPEC	EN 124

TYPE	DRG.NO.	A	B	C
1	KF6511/PR869 B	900X900	1070X1070	100
2	KF6508/PR866 B	900X600	1070X770	100
3	KF6336/PR862 B	750X600	920X770	100

BADGING: AS PER CUSTOMER REQUIREMENT


DUCTILE IRON COVER AND FRAME CLEAR OPENING
900 X 900 , 900 X 600 & 750 X 600 CLASS - B 125

KUWAIT FOUNDRY CO. S.A.K.



SECTION - AA

LIFTING KEY HOLES
CLOSED TYPE - 2 nos.



MATERIAL	DUCTILE IRON
TEST LOAD	125 kN
SPEC	EN 124



ITEM	A	B	C
01	600X600	780X780	65
02	800X800	980X980	65

NOTE

BADGING AS PER CUSTOMER REQUIREMENT

DRG.NO. KF 6377 / PR 735

DUCTILE IRON DOUBLE SEAL COVER AND FRAME
CLEAR OPENING 600X600 MM. & 800X800 MM. CLASS- B 125


KUWAIT FOUNDRY CO. S.A.K.**SECTION - AA**

MATERIAL	DUCTILE IRON
TEST LOAD	125 kN
SPEC	EN 124

DRG.NO. KF 6325 / PR 683**DUCTILE IRON DOUBLE SEAL RECESSED
COVER AND FRAME**

CLEAR OPENING 1000 X 700 MM. CLASS - B 125

KUWAIT FOUNDRY CO. S.A.K.




MATERIAL	DUCTILE IRON
TEST LOAD	125 KN
SPEC	EN 124

DRG.NO.KF 6531 / PR889

D.I.DOUBLE SEAL RECESSED MANHOLE COVER & FRAME
CLEAR OPENING 600X600 MM. CLASS - B 125


KUWAIT FOUNDRY CO. S.A.K.



SECTION AA

LIFTING KEY HOLE
CLOSED TYPE

PRISING SLOT




PLAN VIEW

MATERIAL	DUCTILE IRON
TEST LOAD	125 KN
SPEC	EN 124

DRG.NO. KF 6534 / PR 892


D.I.DOUBLE SEAL RECESSED MANHOLE COVER & FRAME
CLEAR OPENING 610X470 MM. CLASS - B 125

KUWAIT FOUNDRY CO. S.A.K.



SECTION - AA

LIFTING AND LOCKING DEVICE



MATERIAL	DUCTILE IRON
TEST LOAD	125 kN
SPEC	EN 124

TYPE	A	B	C
01	610X470	750X610	80
02	600X600	740X740	80

DRG.NO. KF6489 / PR 847

BADGING: AS PER CUSTOMER REQUIREMENT

D.I. COVER AND FRAME (HINGED & LOCKABLE TYPE)
 CLEAR OPENING 610X470 & 600X600 MM. CLASS- B125


KUWAIT FOUNDRY CO. S.R.K.



ONE COVER SHOWN

UPSIDE DOWN

SECTION - AA




MATERIAL	GREY CAST IRON
TEST LOAD	5 Ton

DRG.NO. KF 6063 / PR 421

M.D.FLUSH MANHOLE COVER & FRAME (DOUBLE COVER)
CLEAR OPENING 920X920 MM.

KUWAIT FOUNDRY CO. S.A.K.




MATERIAL	GREY CAST IRON
TEST LOAD	5 TON


DRG.NO. KF 6009 / PR 367

MEDIUM DUTY RECESSED COVER & FRAME
CLEAR OPENING 920X920 MM.

KUWAIT FOUNDRY CO. S.R.K.



SECTION - AA





PLAN VIEW

MATERIAL	GREY CAST IRON
TEST LOAD	5 TON

DRG. NO. KF 6115 / PR 473

BADGING: AS PER CUSTOMER REQUIREMENT

DOUBLE SEAL RECESSED COVER AND FRAME
CLEAR OPENING 610X610 MM.


KUWAIT FOUNDRY CO. S.A.K.**SECTION-AA****PLAN**

MATERIAL	GREY CAST IRON
TEST LOAD	5 TON


DRG. No. KF 6030 / PR 388

MEDIUM DUTY DOUBLE SEAL COVER & FRAME
 (Clear opening 600 x 600mm.)

KUWAIT FOUNDRY CO. S.A.K.



SECTION - AA





MATERIAL	GREY CAST IRON
TEST LOAD	5 TON

DRG. No.	A	B	C
KF6026/PR384	600X600	835X835	100
KF6028/PR386	600X450	835X685	100
KF2122/PR180	500X500	700X700	100

NOTE:-
CAN BE SUPPLIED WITH CLOSED TYPE KEY HOLE

MEDIUM DUTY SINGLE SEAL COVER & FRAME
CLEAR OPENING, 600X600, 600X450 & 500X500 MM.
ACCORDING TO KUWAIT STANDARD SPECIFICATION 21-1971

SECTION-AA



MATERIAL	GREY CAST IRON
TEST LOAD	5 TON

DRG. No. KF 2098 / PR 158

MEDIUM DUTY DOUBLE SEAL MANHOLE
COVER & FRAME

(Clear opening 300 X 300)


KUWAIT FOUNDRY CO. S.A.K.

PLAN


MATERIAL	GREY CAST IRON
LOADING	5 TON

DRG. No. KF 6163 / PR 521

MEDIUM DUTY CLEAN OUT COVER & FRAME
(Clear opening 300 x 300 mm.)



SECTION - AA





MATERIAL	GREY CAST IRON
TEST LOAD	5 Ton

DRG.NO. KF 6006 / PR 364

MEDIUM DUTY SINGLE SEAL RECESSED MANHOLE
COVER & FRAME CLEAR OPENING 300X300 MM.

KUWAIT FOUNDRY CO. S.A.K.


SECTION-A A

MATERIAL	GREY CAST IRON
TEST LOAD	15 kN
SPEC	EN 124



DRG. No. KF 6326 / PR 684

LIGHT DUTY SINGLE SEAL COVER & FRAME
(Clear opening 920 x 920 mm.) Class A 15

KUWAIT FOUNDRY CO. S.R.K.



SECTION - AA




SECTION - BB


MATERIAL	GREY CAST IRON
TEST LOAD	15 kN
SPEC	EN 124

DRG.NO. KF6067 / PR 425

HINGED MANHOLE COVER & FRAME
WITH HINGED STEEL MESH (CURZON) & LOCKING DEVICE
CLEAR OPENING 670X610 MM. CLASS A15



SECTION - AA



MATERIAL	GREY CAST IRON
TEST LOAD	15 kN
SPEC	EN 124


TYPE	A	B	C
1	610X610	715X715	45
2	600X450	700X550	45
3	500X500	615X615	45
4	400X400	515X515	45

DRG. No. KF 6033/ PR 391

LIGHT DUTY SINGLE SEAL COVER & FRAME
C.O. 610X610, 600X450, 500X500 & 400X400 MM. CLASS A15


KUWAIT FOUNDRY CO. S.A.K.

HINGE PIN (2 NOS.)
(SS 316 - 12 MM. DIA.)



SECTION - AA

LIFTING KEY HOLE





MATERIAL	DUCTILE IRON
TEST LOAD	15 kN
SPEC	EN 124

DRG.NO. KF6490 / PR 848

BADGING: AS PER CUSTOMER REQUIREMENT

D.I. COVER AND FRAME (HINGED TYPE)
CLEAR OPENING 610X470 CLASS - A15

KUWAIT FOUNDRY CO. S.R.K.SECTION AA



MATERIAL	GREY CAST IRON
TEST LOAD	15 KN
SPEC	EN 124

BADGING AS PER CUSTOMER REQUIREMENT

DRG.NO. KF 6292/ PR 650

LIGHT DUTY SINGLE SEAL COVER & FRAME
CLEAR OPENING 610X470 MM. CLASS - A 15

KUWAIT FOUNDRY CO. S.A.K.



SECTION - AA

MATERIAL	GREY CAST IRON
TEST LOAD	15 kN
SPEC	EN 124

DRG. No. KF 6331 / PR 689

LIGHT DUTY SINGLE SEAL COVER & FRAME
CLEAR OPENING 300X300 MM. CLASS A15

KUWAIT FOUNDRY CO. S.A.K.

SECTION-AAPLAN VIEW



CLEAR OPENING	A	B	C
610 x 610	715	715	76
500 x 500	605	605	76

MATERIAL	GREY CAST IRON
TEST LOAD	15 kN
SPEC	EN 124

DRG. No. KF 2196 / PR 238

LIGHT DUTY SINGLE SEAL RECESSED
COVER & FRAME
 (Class A 15.)



KUWAIT FOUNDRY CO. S.R.K.

SECTION-AAPLAN

MATERIAL	GREY CAST IRON
TEST LOAD	15 kN
SPEC	EN 124

DRG. No. KF 6034 / PR 392

LIGHT DUTY DOUBLE SEAL COVER & FRAME
 (Clear opening 600x 600 mm.) Class A 15

KUWAIT FOUNDRY CO. S.A.K.SECTION -AAPLAN



MATERIAL	GREY CAST IRON
TEST LOAD	15 kN
SPEC	EN 124

DRG. No. KF 6035 / PR 393

LIGHT DUTY DOUBLE SEAL RECESSED TYPE
INSPECTION COVER & FRAME

(Clear opening 610 x 610 mm.) Class A 15



KUWAIT FOUNDRY CO. S.A.K.

SECTION-AAPLAN

MATERIAL	GREY CAST IRON
TEST LOAD	15 kN
SPEC	EN 124

DRG. No. KF 6066 / PR 424

LIGHT DUTY HAND HOLE COVER & FRAME
 (Clear opening 270 x 270 mm.) Class A 15

SECTION AA


TYPE	A	B	C
1	600X600	680X680	26
2	450X450	530X530	26
3	400X400	480X480	22

MATERIAL	GREY CAST IRON
----------	----------------

DRG.NO. KF 2195 / PR 237

THIN COVER AND FRAME
CLEAR OPENING 600X600, 450X450 & 400X400 MM.

KUWAIT FOUNDRY CO. S.A.K.

SECTION AA



DRG.NO. KF 6074 / PR 432

MATERIAL

GREY CAST IRON

THIN COVER AND FRAME
CLEAR OPENING 300X300 MM

KUWAIT FOUNDRY CO. S.R.K.

SECTION AA



MATERIAL

GREY CAST IRON

DRG.NO. KF 1460 / PR 74

THIN TYPE DOUBLE SEAL COVER AND FRAME
CLEAR OPENING 300X300 MM


KUWAIT FOUNDRY CO. S.A.K.




MATERIAL	DUCTILE IRON
TEST LOAD	400 kN
SPEC	EN 124

DRG. No. KF 6324 / PR 682


DUCTILE IRON HEAVY DUTY GRATING & FRAME
 (Clear opening 1000 X 700 mm.) Class D 400



SECTION AA



SECTION BB



MATERIAL	DUCTILE IRON
TEST LOAD	400 kN
SPEC	EN 124


Drg. No.	A	B	C
KF6224/PR582	600X600	750X750	100
KF6350/PR708	450X450	600X600	100

BADGING: AS PER CUSTOMER REQUIREMENT


DUCTILE IRON DOUBLE TRIANGULAR INLET GRATE AND FRAME

CLEAR OPENING 600 X 600 MM. & 450X450 MM.CLASS -D 400

KUWAIT FOUNDRY CO. S.A.K.



SECTION AA






PLAN VIEW

MATERIAL	DUCTILE IRON
TEST LOAD	400 KN
SPEC	EN 124

DRG.NO. KF 6501 / PR 859

DUCTILE IRON CATCH BASIN COVER & FRAME
CLEAR OPENING Ø 600MM.CLASS D-400

KUWAIT FOUNDRY CO. S.A.K.




MATERIAL	GREY CAST IRON
TEST LOAD	250 kN
SPEC	EN 124


DRG. No. KF 1410 / PR 63

HEAVY DUTY GULLY GRATING & FRAME
 (Clear opening 450 x 550 mm.) Class - C 250


KUWAIT FOUNDRY CO. S.A.K.



SECTION - BB



PLAN






SECTION - AA

MATERIAL	GREY CAST IRON
TEST LOAD	250 kN
SPEC	EN 124

DRG. No. KF 6075 / PR 433

**HEAVY DUTY STRAIGHT BAR
GULLY GRATING AND FRAME**
(Clear opening 395 X 290 mm.) Class C 250

KUWAIT FOUNDRY CO. S.R.K.




MATERIAL	GREY CAST IRON
TEST LOAD	250 kN
SPEC	EN 124


DRG. No. KF 2140 / PR 190

840 x 365 mm. GULLY GRATING
WITH FRAME
CLASS C 250

KUWAIT FOUNDRY CO. S.A.K.



SECTION - AA





MATERIAL	DUCTILE IRON
TEST LOAD	250 kN
SPEC	EN 124

KF6364/PR722

DUCTILE IRON KERB INLET GRATE & FRAME
(HINGED TYPE) SIZE 940 X 520 MM.
CLASS - C 250




KUWAIT FOUNDRY CO. S.A.K.

SECTION AASECTION BB

MATERIAL	DUCTILE IRON
TEST LOAD	250 kN
SPEC	EN 124

DRG.NO. KF 6375 / PR 733

DUCTILE IRON HEAVY DUTY GULLY GRATE & FRAME
SIZE 450 X 550 MM. CLASS - C 250

KUWAIT FOUNDRY CO. S.R.K.SECTION-AAPLANSECTION-BB


MATERIAL	GREY CAST IRON
TEST LOAD	250 kN
SPEC	EN 124

DRG.NO. KF 6076 / PR 434 (R1)


MEDIUM DUTY STRIGHT BAR GULLYGRATING & FRAME

(Clear opening 445 X 380 mm.) Class - C 250

KUWAIT FOUNDRY CO. S.A.K.



SECTION - AA



MATERIAL	GREY CAST IRON
TEST LOAD	250 kN
SPEC	EN 124


Note :

BOLTS ARE OPTIONAL


DRG.NO. KF6321 / PR679

GULLY GRATING WITH FRAME
CLEAR OPENING 160X160 MM. CLASS - C250

KUWAIT FOUNDRY CO. S.A.K.



SECTION AA



PLAN VIEW

SECTION BB



MATERIAL	GREY CAST IRON
WEIGHT	99 KG.
TEST LOAD	18 TON
SPEC	MPW

DRG. NO. KF6036 / PR394 (Rev.1)

STORM WATER DRAINAGE FRAME & GRATING

SIZE 550 X 450 MM.

KUWAIT FOUNDRY CO. S.A.K.




MATERIAL	GREY CAST IRON
TEST LOAD	B125
SPEC	EN 124

DRG.NO. KF 2046 / PR 118 (R1)

CATCH BASIN COVER & FRAME
(Clear opening Ø600 mm.)

KUWAIT FOUNDRY CO. S.R.K.



PLAN VIEW

SIDE VIEW


TYPE	A	B	C
01	610	250	36
02	610	200	36
03	500	150	26

MATERIAL	DUCTILE IRON
TEST LOAD	250 kN
SPEC.	EN 124


DRG.NO. KF6480 / PR 838

DUCTILE IRON TRENCH GULLY GRATING
 SIZE 610 X 250, 610X200 & 500X150 MM. CLSS - C 250

KUWAIT FOUNDRY CO. S.R.K.



SECTION - AA





TYPE	DIMENSIONS IN MM.			CLASS
	A	B	C	
1	600	360	60	F - 900
2	500	300	52	D - 400
3	600	460	45	C - 250
4	610	300	40	C - 250

MATERIAL	DUCTILE IRON
SPEC	EN 124

DRG.NO. KF6304 / PR 662

DUCTILE IRON GRATING

(600X360, 500X300, 600X460, 610X300.)

KUWAIT FOUNDRY CO. S.A.K.**SECTION - AA****SECTION - BB**

MATERIAL	GREY CAST IRON
TEST LOAD	250 kN
SPEC	EN 124


TYPE	A	B	C
1	840	365	64
2	610	340	45
3	500	300	55

DRG.NO. KF6179 / PR 537

HEAVY DUTY GULLY GRATING
(840X365 MM, 610x340 MM. & 500x300 MM.)



SECTION - AA



SECTION - BB


TYPE	A	B	C	CLASS
1	700	360	25	B 125
2	610	270	45	C 250
3	600	200	25	C 250

MATERIAL	GREY CAST IRON
SPEC	EN124


DRG.NO. KF6037 / PR 395 (Rev.1)

TRENCH GULLY GRATING
(700 X 360 MM, 610 X 270 MM. & 600 X 200 MM.)

KUWAIT FOUNDRY CO. S.A.K.



SECTION - AA




TYPE	A	B	C
1	600	300	30
2	600	150	25


MATERIAL	GREY CAST IRON
TEST LOAD	125 kN
TYPE	EN 125

DRG.NO. KF6341 / PR 699 (Rev.1)

GULLY GRATING
(600 X 300 MM. & 600X 150 MM. B 125)




SECTION - AA



MATERIAL	GREY CAST IRON
TEST LOAD	125 kN
SPEC	EN 124

DRG.NO. KF6453 / PR 811 (Rev.1)

CAST IRON GULLY GRATING
SIZE 600 X 225 MM. B 125




MATERIAL	GREY CAST IRON
----------	----------------

DRG.NO. KF6455 / PR 813

CAST IRON GULLY GRATING SIZE 750x750 MM.



SECTION - AA




MATERIAL	GREY CAST IRON
----------	----------------


DRG.NO. KF6456 / PR 814

CAST IRON GULLY GRATING SIZE 600x300 MM.

KUWAIT FOUNDRY CO. S.A.K.



SECTION - AA



MATERIAL	GREY CAST IRON
LOADING	A
SPEC	BS 5834 PART 2-1983



TYPE	A	B	C
1	150x150	250x250	150
2	225x225	325x325	150
3	300x300	400x400	150

DRG.NO. KF6059 / PR 417

GRADE (A) HEAVY DUTY SURFACE BOX
COVER & FRAME

(Clear Opening 150x150 mm, 225x225 mm, 300x300 mm.)

KUWAIT FOUNDRY CO. S.R.K.


SECTION-AA

MATERIAL	GREY CAST IRON
LOADING	A
SPEC	BS 5834 Part 3-1985


DRG. No. KF 6060 / PR 418

GRADE(A) HEAVY DUTY FIRE HYDRANT
SURFACE BOX COVER & FRAME
 (Clear opening 380 x 230 mm.)

KUWAIT FOUNDRY CO. S.A.K.





SECTION - A A



MATERIAL	DUCTILE IRON
LOADING	A
SPEC	BS 5834 PART 2-1983

DRG. NO. KF 6353 / PR 711



DUCTILE IRON HEAVY DUTY FIRE HYDRANT SURF-
ACE BOX COVER & FRAME, C.O. 400X250mm, GRADE - A



KUWAIT FOUNDRY CO. S.R.K.**SECTION-AA****PLAN**

MATERIAL - GREY CAST IRON
All dimensions in millimeters

DRG. No. KF 2166 / PR 210

VALVE BOX ϕ 300 mm.

KUWAIT FOUNDRY CO. S.A.K.**SECTION-AA****PLAN****MATERIAL - GREY CAST IRON****DRG. No. KF 6068 / PR 426****VALVE BOX $\phi 300 \text{ mm.}$**

KUWAIT FOUNDRY CO. S.R.K.

MATERIAL - GREY CAST IRON

All dimensions in millimeters


DRG. No. KF 2165 / PR 209

VALVE BOX ϕ 120 mm.



**CAST IRON TREE GRATE WITH MILD
STEEL FRAME, Ø 1500 & Ø 1200 mm.**

KUWAIT FOUNDRY CO. S.A.K.





Type	A	B	C	D
1	1600	1600	270	500
2	2000	2000	390	780

**MATERIAL - CAST IRON ACCORDING TO
ASTM A-48 CLASS 35**

DRG. No. KF 6200 / PR 558

**CAST IRON TREE GRATE WITH MILD STEEL FRAME
SIZE 2000 X 2000 mm. OR 1600 x 1600 mm.**


KUWAIT FOUNDRY CO. S.R.K.

**MATERIAL - GREY CAST IRON ACCORDING TO
ASTM A - 48 CLASS 35**


All dimensions in millimeters

DRG. No. KF 6105 / PR 463

CAST IRON TREE GRATE WITH FRAME
(GRATE SIZE 1410 X 1410 MM.)

KUWAIT FOUNDRY CO. S.A.K.



SECTION AA



MATERIAL	GREY CAST IRON
----------	----------------

DRG.NO. KF 6140 / PR498



CAST IRON TREE GRATE AND FRAME
GRATE SIZE 1520 X 1520 MM.

KUWAIT FOUNDRY CO. S.A.K.**SECTION - AA**

MATERIAL	GREY CAST IRON
-----------------	-----------------------



DRG. NO. KF 6421/ PR779

CAST IRON TREE GRATE SIZE 1530X1530 MM.
--

KUWAIT FOUNDRY CO. S.R.K.SECTION - AA**MATERIAL****GREY CAST IRON****DRG. NO. KF 6405/ PR764**

CAST IRON TREE GRATE
SIZE 1200X1200 MM.

KUWAIT FOUNDRY CO. S.A.K.




MATERIAL	GREY CAST IRON
----------	----------------

DRG.No.	A	B	C	D
KF6533/PR891	1400	1400	35	Ø800
KF6498/PR856	1200	1200	35	Ø800
KF6488/PR846	1200	1200	35	Ø700

LIGHT OPENING ONE OR TWO AS PER CUSTOMER REQUIRMENT

CAST IRON TREE GRATE 1400X1400 MM. OR 1200X1200 mm.


KUWAIT FOUNDRY CO. S.A.K.

MATERIAL

GREY CAST IRON

DRG.NO. KF 6513 / PR 871


CAST IRON BOLLARED
EFFECTIVE LENGTH 725 MM.

KUWAIT FOUNDRY CO. S.R.K.

MATERIAL	GREY CAST IRON
----------	----------------

DRG. NO. KF 6407/PR765


CAST IRON BOLLARD
EFFECTIVE LENGTH 800 MM.

KUWAIT FOUNDRY CO. S.R.K.

MATERIAL	GREY CAST IRON
----------	----------------

DRG. NO. KF 6417/PR775



CAST IRON BOLLARD
EFFECTIVE LENGTH 800 MM.



DRG. No. KF 6524/ PR 882

MATERIAL	GREY CAST IRON
----------	----------------



CAST IRON BOLLARD
EFFECTIVE LENGTH 800 MM.

KUWAIT FOUNDRY CO. S.A.K.

MATERIAL	DUCTILE IRON
SPEC.	M P W

DRG.NO. KF6055 / PR 413 DI


GALVANIZED CAST IRON STEP
(OVER ALL SIZE 250 X 150 MM.)

KUWAIT FOUNDRY CO. S.A.K.**PLAN VIEW**

MATERIAL	GREY CAST IRON
-----------------	-----------------------

DRG. NO. KF6056 / PR 414

HEAVY DUTY STEP OVER ALL SIZE 260 X 150 MM.
--



MATERIAL

DUCTILE IRON

DRG.NO. KF 6502 / PR 860

DUCTILE IRON STEP WITH FIXING PLATE
OVER ALL SIZE 180 X 150MM.



شركة السكب الكويتية ش.م.ك. مقفلة

KUWAIT FOUNDRY CO. S.A.K.